

LITERATURE ON WEBSITE EVALUATION IN HEALTH SECTOR

Demetrios Sarantis¹ and Delfina Sá Soares^{1,2}

¹*United Nations University – Operating Unit on Policy-Driven Electronic Governance
Campus de Couros, Rua Vila Flor 166, 4810-445 Guimarães, Portugal*

²*University of Minho – Department of Information Systems – ALGORITMI Center
Campus de Azurém, Azurém, 4800-058 Guimarães, Portugal*

ABSTRACT

A critical element in the evolution of health sector services provided through the internet is the development of appropriate websites that adequately serve the patients' needs. Hospitals, in order to deliver superior online services must first understand and then satisfy users' expectations. Health sector website assessment is built on identifying underlying dimensions, and conceptualizing relative metrics. Research and practitioner interest in health sector website assessment has considerably risen in recent years. In this article aspects of relative academic studies in health sector website assessment are reviewed and a holistic health sector websites' assessment framework is proposed, defining criteria and their relative indicators.

KEYWORDS

eGovernment, eHealth, Assessment Framework

1. INTRODUCTION

With patients taking over more responsibility for their own health care decisions, web is an appropriate media to facilitate information exchange between patients and health-services providers (Huerta, et al. 2014). Increasingly, hospital websites are beginning to operate as extension of hospital services, offering access to a range of information and applications (Leonardi, et al. 2007).

Health sector institutions' websites evaluation contribute to maximize the exploitation of invested resources by organizations in the development of user-perceived quality websites. Evaluation on websites related to medical health has recently become a hot topic in the studies of health informatics and information management. Reviewing relative literature, it can be found that there are several studies related to evaluation on health-sector websites, each one assessing a variety of elements. But there is not yet an unequivocal definition of the concept of health sector website quality and the discourse about health sector institutions websites' quality evaluation remains open (Moreno, et al. 2010).

The overarching aim of the present study is to review and analyse existing literature research efforts in the area of hospital website assessment and based on the extracted results, to propose an assessment framework that can integrate the identified aspects.

This paper is organized in five sections. The second section introduces the methodology applied, while section three reviews and analyses existing website quality assessment efforts in health sector. Section four illustrates the proposed health sector website assessment framework. Finally, section five presents conclusions and future perspectives of this work regarding further steps that can be taken.

2. METHODOLOGY

In our literature review we selected to conduct an exploratory study approach since it helps to acquire insight into the available literature by identifying the conceptual content of the field and by contributing to theory

development towards formulating our conceptual framework (Shields and Tajalli, 2006). The research methodology contains three phases.

Material Collection. In the present study, six well-known academic online databases, Science Direct, EB-SOHost, Google Scholar, Web of Science, Scopus and Wiley Online Library were selected to search for relevant studies. The literature search was carried out in article titles and abstracts from 2000 to February 2017. The search for related publications was mainly conducted as a structured keyword search.

Content Analysis. Content analysis was based on exploratory study of the selected articles carried out using systematic check techniques, on existing health sector web presence assessment studies. This type of research was chosen because it can provide significant insight into a given situation, facilitating the identification and structuring of new problems.

Framework Concepts. In designing the assessment framework, the following steps have been followed: a. Gleaning the main assessment elements from the selected literature. b. Propose framework's main assessment criteria. c. Allocate the identified elements of content analysis to the proposed criteria. d. Propose indicators to assess each criterion.

3. LITERATURE REVIEW

Apart from research concerning general approaches of website evaluation and evaluation on websites subjected to commerce, government and education, there are several studies focusing on quality assessment of health-sector organisations' websites. In this section, we review the existing literature on latter ones.

Llinás et al. (2008) evaluate and compare the user-orientation of Spanish, American and British hospital websites. In their descriptive study, they evaluate websites according to readability, accessibility and the quality of information provided. Lewiecki et al. (2006) develop and evaluate measurement tools to determine the quality of osteoporosis websites for patients. They use indicators in the categories of content, credibility, navigability, currency, and readability. Moreno et al. (2010) present a qualitative and user-oriented methodology for assessing quality of health-related websites based on a 2-tuple fuzzy linguistic approach. To identify the quality criteria set, a qualitative research has been carried out using the focus groups technique. According to the qualitative research results they define five quality dimensions, credibility, content, usability, external links and interactivity services. Huerta et al. (2014) and Huerta et al. (2016) assess the web presence of hospitals and their health systems based on five dimensions, accessibility, content, marketing, technology, and usability. Tsai and Chai (2005) developed an evaluation questionnaire for nursing websites covering overall impression, download and switch speed, accessibility and convenience, web page content, and compatibility with common browsers. Randeree and Rao (2004) consider the following factors for evaluating health sector websites: access/usability, audience, accuracy, timeliness, content, authority, and security. Guardiola-Wanden-Berghe et al. (2012) conducted an observational, descriptive and cross-sectional study carried out using systematic check techniques, on assessment of documentary and content quality assessment of eating disorder websites. Rezniczek et al. (2015) evaluate the quality of websites of Obstetrics and Gynecology departments in German-speaking countries using Google search rank, technical aspects, navigation and content as objective criteria. Maifredi et al. (2010) explored the characteristics of the contents and the user-orientation of Italian hospital websites. The analysis considered Italian hospitals with a working website assessing technical characteristics, hospital information and facilities, medical services, interactive on-line services and external activities. Bilsel et al. (2006) present a quality evaluation model which consists of seven major e-service quality dimensions, including tangibles, reliability, responsiveness, confidence, empathy, quality of information, and integration of communication issues of websites. Moslehifard et al. (2016) study focus in four different categories such as general information, accessibility of websites, functionality of websites, and facilities information provided in websites. Patsioura et al. (2009) proposed framework focuses on three main criteria, information, communication and electronic services. Norum (2001) evaluates the quality of Norwegian cancer hospitals' Websites according to general information, hospital details and technical aspects. Calvo (2014) assesses the quality and describe characteristics of websites of large Spanish hospitals evaluating the global quality, accessibility, usability, interactivity, updating, quality model and information. Liu et al. (2011), focus on the evaluation of quality of hospital websites in China using a pre-defined objective criterion based on content, function, design, and management & usage. Garcia-Lacalle et al. (2011) determine which factors have an influence on website adoption and

level of development over time. The used checklist includes elements such as general information, contacting information, web linkage, quality of care, information for patients, information about resources and performance, site navigation and usability, health information, services provided to professionals and facilitating transactions. Gruca & Wakefield (2004) evaluate the status of US hospital websites examining the following features: electronic documents, providing decision aids, linkages to partners, building trust via external verification, facilitating transactions, multiparty targeting, self-service information and discussion forums. The study conducted by Mira et al. (2006) on the readability and accessibility of Spanish hospital websites concludes that they need to be more patient oriented because the websites visited did not fulfil even half of the readability and accessibility attributes required by widely used standards. Mancini et al. (2005) found that the enforcement of accessibility regulations has helped to significantly improve hospital website accessibility in Italy.

4. ASSESSMENT FRAMEWORK

Based on the analysis of the above evaluation studies, we propose four fundamental health sector website assessment criteria – Content, Technology, Services and Participation – which cover the whole spectrum of the identified assessment elements of our literature review.

Table 1 classifies the identified assessment elements found in literature into each of the four proposed assessment criteria.

Table 1. Significant Identified Elements Assigned to the Proposed Criteria

Study	Content	Technology	Services	Participation
(Huerta, et al. 2014)	Content	Technology, Accessibility, Usability	-	Marketing
(Moreno, et al. 2010)	Content, Credibility	Usability, External Links	-	Interactivity Services
(Llinás, et al. 2008)	Address/Contact, General Information, Services, Patient Information, Research and Teaching	Page Features, Page Layout, Page Update, Technical Features	-	Patient Interaction, Media
(Lewiecki, et al. 2006)	Content, Credibility, Timeliness	Navigability, Readability,	-	-
(Huerta, et al. 2016)	Content	Technology, Accessibility, Usability	-	Marketing
(Tsai and Chai, 2005)	Overall Impression, Content	Download and Switch Speed, Accessibility and Convenience, Browser Compatibility	-	Interactivity Services
(Randeree and Rao, 2004)	Accuracy, Authority, Content, Timeliness	Accessibility and Usability, Audience, Security and Privacy	-	-
(Guardiola-Wanden-Berghe, et al. 2012)	Content, Document Features	-	-	-
(Reznicek, et al. 2015)	Content	Navigation, Technical Aspects	-	Google Search Rank
(Maifredi, et al. 2010)	Hospital Information and Facilities, Hospitalization and Medical Services, External Activities	Technical Aspects	Appointments	Forum
(Bisel, et al. 2006)	Reliability, Empathy, Quality of Information	Tangibles, Responsiveness, Assurance	Integration of communication	-
(Moslehifar, et al. 2016)	General Information Characteristics, Functionality Characteristics, Facilities Characteristics	Accessibility Characteristics	-	-
(Patsioura, et al. 2009)	Information Gathering	-	Communication & Transaction	-
(Norum, 2001)	General Information, Hospital Information	Technical Aspects	-	-
(Calvo-Calvo, 2014)	Presented Information, Updating the Contents, Quality References, Information for the Professionals, Supplier Information	Accessibility, Usability	Interactivity and Relationship with Users	-
(Liu, al. 2011)	Function, Content, Design	Management & Usage	-	-
(García-Lacalle, et al. 2011)	General Information, Contacting Information, Web Linkage, Quality of Care, Information for Patients, Information about Resources and Performance	Site Navigation and Usability	-	Health Information, Services Provided to Professionals, Facilitating Transactions

Study	Content	Technology	Services	Participation
(Gruca and Wakefield, 2004)	Electronic documents, Providing Decision Aids, Linkages to Partners, Building Trust via External Verification		Facilitating Transactions	Multiparty Targeting, Self-Service Information, Discussion Forums
(Mira, et al. 2006)	-	Readability, Accessibility	-	-
(Mancini, et al. 2005)	-	Accessibility	-	-

Health sector website evaluators must be able to clearly identify whether specific goals or targets have been met and where adaptations to institution's website strategy appear to be necessary. Progress toward achieving health institutions web presence goals can be tracked by selecting specific indicators that correspond and evaluate each of these criteria (Table 2). The performance indicators enable measurement of progress towards the achievement of the key objectives for each criterion, which in turn permits the ongoing evaluation of success in implementing the hospital's website aimed strategy.

Table 2. Criteria and Indicators Allocated to Each of Them

Content	Technology	Services	Participation
<ul style="list-style-type: none"> • Hospital Information • Quality Metrics • Organisational Structure and Medical Information • Patient Information • Research and Teaching 	<ul style="list-style-type: none"> • Navigability • Accessibility • Usability/Readability • Credibility • Privacy/Security 	<ul style="list-style-type: none"> • Administration Procedures • Appointments • Patient Care 	<ul style="list-style-type: none"> • Community Interaction • Media • Advertising/Marketing

4.1 Content

Content criterion, evaluates the presence of information relevant to the user. It evaluates the quality, availability, relevancy, completeness and concise representation of specific information that it is expected to be provided in a health's sector institution website. Thereinafter the proposed indicators are analysed.

Hospital Information

Most of the hospitals provide general health information (Guardiola-Wanden-Berghe, et al. 2012), (Liu, al. 2011). Hospital designation and logo on the home page are usually included in the home page (Reznicek, et al. 2015), (Moslehifar, et al. 2016), (Liu, al. 2011), (Gruca and Wakefield, 2004). Almost all sites include static information such as a general phone number for the hospital, fax number, postal address, e-mail address, VAT number, a map or directions to the hospital, parking information, transportation information and a history of the institution (Llinás, et al. 2008), (Maifredi, et al. 2010), (Bilsel, et al. 2006), (Patsioura, et al. 2009), (Norum, 2001), (García-Lacalle, et al. 2011), (Gruca and Wakefield, 2004). Additional elements are illustration of complementary services (press, cafeteria, Wi-Fi, telephone etc.), phone directory of the institution and emergency information (Norum, 2001). Few take advantage of the available technology to provide a virtual tour of their facilities (Llinás, et al. 2008).

Quality Metrics

Public reporting of hospital quality data, empowers patients, referring physicians, and purchasers of health care with the information needed to make informed decisions regarding their care (Gruca and Wakefield, 2004). It also encourages hospitals and physicians to participate in continuous performance improvement by creating a healthy and competitive environment for better patient outcomes. Consequently, more and more hospitals are considering reporting their organizational quality metrics on their websites. Quality elements include the waiting list, the number of available beds, the admissions number report, the nosocomial infection rate, the inpatient mortality rate and the surgical mortality rate (Moslehifar, et al. 2016), (Norum, 2001), (Calvo-Calvo, 2014), (García-Lacalle, et al. 2011).

Organisational Structure and Medical Information

The organisation chart depicts institution's structure, it defines the hierarchy and the different roles that are involved (Llinás, et al. 2008). Essential information is the list of clinical services available at the hospital, the list of outpatient hospital services available (consultation, diagnostic services), the list of departments or units providing patient services, their relative working hours, their locations and their contact details (Llinás, et al. 2008), (Randeree and Rao, 2004), (Reznicek, et al. 2015), (Maifredi, et al. 2010), (Bilsel, et al. 2006), (Moslehifar, et al. 2016), (Patsioura, et al. 2009), (Norum, 2001), (Liu, al. 2011), (García-Lacalle, et al. 2011).

For potential patients, an electronic version of doctors printed directory is essential (Liu, al. 2011). Apart from the list of employed doctors, sites should include doctor's phone number, email address, picture, education/certification and relative practice information (Lewiecki, et al. 2006), (Maifredi, et al. 2010), (Liu, al. 2011), (García-Lacalle, et al. 2011), (Gruca and Wakefield, 2004).

In this section health-disease specific information and relative treatment information is included (García-Lacalle, et al. 2011). It should also be provided the possibility to read online or to download health-care booklets and a medical glossary (Maifredi, et al. 2010).

Patient Information

A clear description of patient's rights and obligations is essential. Information that should be adequately addressed is the related indications for hospital admission and discharge (Llinás, et al. 2008), (Maifredi, et al. 2010), (García-Lacalle, et al. 2011). It also provides information for visitors [5]. Details of how to pay prescription charges, about private consultations/services and fees and information for foreigners is provided in this section (Moslehifar, et al. 2016).

Research and Teaching

Health institutions that have a teaching mission, include in their website, information about graduate medical education in general and information for medical students, undergraduate or postgraduate courses that are held at the hospital, schedule of activities that take place at the hospital (courses, workshops and conferences), scientific studies that the hospital promotes or is involved in and publications of the hospital itself (Llinás, et al. 2008), (Gruca and Wakefield, 2004).

The ability of hospital's website to provide relative information about the library presence, address, working hours, publications catalogue and available services (reading, loans, copies) is important (Llinás, et al. 2008), (Randeree and Rao, 2004).

4.2 Technology

This criterion appears to be a mixture of, mainly technical, items that relates to easy navigation, website quality, visual appeal, functionality and reliability. The technology criterion is related to how the content and services are assembled and made avail-able on a website. Technology criterion is analysed in the following indicators.

Navigability

Navigability indicator examines the easiness that the user finds the required piece of information by moving through the website. Elements that are evaluated include effective use of hyperlinks and the degree to which the interface helps the user orient himself within the website (Moreno, et al. 2010), (Llinás, et al. 2008), (Lewiecki, et al. 2006), (Huerta, et al. 2016), (Randeree and Rao, 2004), (Maifredi, et al. 2010), (Moslehifar, et al. 2016).

Accessibility

Accessibility indicator refers to the practice of removing barriers that prevent inter-action with, or access to website, by people with disabilities or people with restricted computer literacy (Huerta, et al. 2014), (Llinás, et al. 2008), (Huerta, et al. 2016), (Moslehifar, et al. 2016), (Calvo-Calvo, 2014). Elements that should be addressed include semantically meaningful HTML tags, textual equivalents provided for images, links named meaningfully, text and images that are large or enlargeable, flashing effects which are avoided or made optional, content that is written in plain language, compliance with WCAG W3C guide-lines, compatibility with different browsers and access from various devices (Huerta, et al. 2014), (Moreno, et al. 2010), (Llinás, et al. 2008), (Tsai and Chai, 2005), (Rezniczek, et al. 2015).

Usability/Readability

Usability indicator evaluates the ease of use of the website. Information should be presented concisely, without ambiguity and each item should be placed in the appropriate area (Lewiecki, et al. 2006), (Tsai and Chai, 2005), (Bilsel, et al. 2006). Some of the common aspects of usability are simplicity, consistency, familiarity, clarity and relevancy (Moreno, et al. 2010), (Tsai and Chai, 2005), (Bilsel, et al. 2006), (García-Lacalle, et al. 2011). For prospective and current patients to effectively use the information available at a hospital's website, they must have a search tool (Llinás, et al. 2008), (Tsai and Chai, 2005), (Maifredi, et al. 2010), (Moslehifar, et al. 2016), (Norum, 2001). Other essential features include website map, content in foreign languages, quick load time, graphics that open conveniently, website pages that can be printed, individual sub-pages that have specific and meaningful titles (Huerta, et al. 2014), (Llinás, et al. 2008),

(Lewiecki, et al. 2006), (Huerta, et al. 2016), (Tsai and Chai, 2005), (Randeree and Rao, 2004), (Maifredi, et al. 2010), (Moslehifar, et al. 2016), (Calvo-Calvo, 2014).

Credibility

Because of the critical role of hospital websites in human's health, credibility indicator is critical. Elements that should be evaluated include author and date of the provided information and the text quality which should be grammatically and spelling correct (Huerta, et al. 2014), (Moreno, et al. 2010), (Huerta, et al. 2016), (Randeree and Rao, 2004). Interest conflict declaration, date of last website update, HON (Health on the Net) foundation code certification, webmaster characteristics and sources and references should be clearly listed (Moreno, et al. 2010), (Llinás, et al. 2008), (Lewiecki, et al. 2006), (Tsai and Chai, 2005), (Randeree and Rao, 2004), (Guardiola-Wanden-Berghe, et al. 2012), (Bilsel, et al. 2006), (Patsioura, et al. 2009).

Privacy/Security

Health sector website privacy holds profound implications since service delivery impacts human life, legality and social policy. Related information presentation and dissemination has raised privacy concerns among both consumers and providers. A privacy policy describing the website's information practices should be easily accessible on the site (Bilsel, et al. 2006). Issues regarding patient confidentiality, copyright notice and terms of use, must be specifically addressed to become widely available (Randeree and Rao, 2004), (Liu, al. 2011).

Security management tools and usage is an important part of the website. Other elements included in this indicator are general disclaimers, ownership of the site and provision of a secure website using encryption techniques (e.g. HTTPS) (Moreno, et al. 2010).

4.3 Services

The trend towards creating individual patient profiles personalising the provided electronic services can bring many benefits to both hospital and patient. Personalised content can be provided during interactions with all users and this might improve loyalty to a particular hospital.

Administration Procedures

Health institutions can use online forms or provide standardised documents for downloading and uploading, to their users (Llinás, et al. 2008), (García-Lacalle, et al. 2011). Hospital websites are expected to facilitate interaction between visitors and the hospital staff (Patsioura, et al. 2009), (Calvo-Calvo, 2014). In order to achieve cost savings and streamline the treatment, hospitals allow visitors to submit e-mail requests for general health information (Moreno, et al. 2010), (Llinás, et al. 2008), (Calvo-Calvo, 2014), (García-Lacalle, et al. 2011), (Gruca and Wakefield, 2004). Some of them provide the capability for referring doctors to use e-mail referral forms or furthermore enable interactive communication applications (Calvo-Calvo, 2014).

Appointments

Translating visitor's interest in a hospital into action is one of the most important purposes of a hospital website. Online appointments and user membership registration are functions that should be included (Moslehifar, et al. 2016), (Liu, al. 2011). Some hospitals enable their customers to interactively schedule appointments via web forms or via e-mail (Maifredi, et al. 2010), (Gruca and Wakefield, 2004). Some websites include a printable checklist of items to bring to the hospital in the appointment (Gruca and Wakefield, 2004).

Patient Care

Features evaluated in this indicator provide an important link between patients and hospitals. Supporting professional practice, asynchronous communication between the patient and the physician is implemented through email or through web-based message exchange systems (Tsai and Chai, 2005), (Bilsel, et al. 2006). Some hospitals offer real-time chat sessions between doctors and patients, providing in this way the opportunity to the patient to pose follow-up questions (Liu, al. 2011). Through their websites, hospitals provide access to patient's medical records system that creates and maintains all patient data electronically (Randeree and Rao, 2004).

4.4 Participation

Participation criterion is used to describe the interaction between hospital, patients and online communities on the web. Online communities often involve members to provide content to the website and contribute in some way. Examples of such include forums, complaints forms, interaction with the media and hospital's marketing activities. Hospital sites can host patient support groups, interact with community organisations and become a portal for physician organisations and private medical offices.

Community Interaction

Hospital websites are aimed principally to communicate with existing or prospective patients. Each patient has unique needs based on her health conditions. If hospitals can effectively meet patients' widely varying information needs by using internet technology rather than more personnel, they further their twin goals of better health for patients and higher efficiency (Moslehifar, et al. 2016). One such technology is a threaded discussion forum (e.g. diseases, allergies, treatments etc.) where visitors can post questions, and receive answers that other visitors may also access easily (Moreno, et al. 2010), (Tsai and Chai, 2005), (Maifredi, et al. 2010), (García-Lacalle, et al. 2011), (Gruca and Wakefield, 2004). They often use these tools to build a community of users to strengthen the relationship with their potential and current patients (Bilsel, et al. 2006), (Liu, et al. 2011).

Media

Many hospitals exploit the immediacy of the web to report current news about the institution, press releases and internal announcements (Llinás, et al. 2008), (Moslehifar, et al. 2016), (Calvo-Calvo, 2014). In addition to general health information, many hospitals also inform the community about health events (Moslehifar, et al. 2016), (Gruca and Wakefield, 2004).

Marketing/Advertising

A hospital's website is one of its public faces (Watson, et al. 2000). Some hospitals use their websites to promote their work, and keep in touch with the different types of stakeholders (Guardiola-Wanden-Berghe, et al. 2012), (Moslehifar, et al. 2016), (Calvo-Calvo, 2014), (García-Lacalle, et al. 2011). Hospitals can use their website to expand the reach of their medical practices to anyone with Internet access and advertise the international availability of their services (Huerta, et al. 2014), (Huerta, et al. 2016), (Reznicek, et al. 2015).

Website sponsors and investors should be also clearly disclosed and possible advertising material should be differentiated from other content (Lewiecki, et al. 2006). Social media applications can be included in this category (Facebook, Twitter, LinkedIn etc.) (Moslehifar, et al. 2016). Hospital websites can be a convenient way for health care providers to analytically inform patients of their liability regarding insurance issues (Moslehifar, et al. 2016).

5. CONCLUSIONS AND FUTURE WORK

A health-sector organisation's website has to be an integral part of the operating practices of the institution. Our review of related research has shown that hospital website assessment process can be based in four criteria, content, technical, services and participation.

The framework could help hospital management, health sector officials and website managers to understand causal links that show "how" and "where" a website is consistent with its strategy. This study should also be of interest to technology practitioners and researchers, as the findings shed light on the further development of performance measurements for hospital websites.

The assessment framework needs further development. Next step of our research will be to determine specific metrics and relative weights for each indicator in order to implement a concrete assessment instrument for health sector institutions web presence. Hospital websites assessment instrument, apart for health institutions' managers, will allow patients to search for hospitals and compare them based on their performance on various quality measures.

In terms of practical application, we plan to use it in Portuguese hospital's website assessment and discuss the results with hospitals' management and health sector authorities. This will complement views expressed in individual discussions and group workshops, to assess practical acceptability in a better way.

ACKNOWLEDGEMENTS

This paper is a result of the project “SmartEGOV: Harnessing EGOV for Smart Governance (Foundations, methods, Tools) / NORTE-01-0145-FEDER-000037”, supported by Norte Portugal Regional Operational Programme (NORTE 2020), under the PORTUGAL 2020 Partnership Agreement, through the European Regional Development Fund (ERDF).

REFERENCES

- Bilsel R.U. et al, 2006. A fuzzy preference? Ranking model for a quality evaluation of hospital web sites, *International Journal of Intelligent Systems*, Vol. 21, No. 11, pp 1181-1197.
- Calvo-Calvo, M.A., 2014. Quality and characteristics of websites of large Spanish hospitals, *Revista Espanola de Documentacion Cientifica*, Vol. 37, No.1.
- García-Lacalle J. et al, 2011. The unpromising quality and evolution of Spanish public hospital web sites, *Online Information Review*, Vol. 35. No.1, pp. 86-112.
- Gruca T.S. and Wakefield D.S., 2004. Hospital web sites: Promise and progress, *Journal of Business research*, Vol. 57, No.9, pp 1021-1025.
- Guardiola-Wanden-Berghe R. et al, 2012. Quality assessment of the Website for Eating Disorders: a systematic review of a pending challenge, *Ciencia & Saude Coletiva*, Vol. 17, No. 9, pp 2489-2497.
- T.R. et al, 2014. Hospital website rankings in the United States: expanding benchmarks and standards for effective consumer engagement, *Journal of medical Internet research*, Vol. 16, No. 2.
- Huerta T.R. et al, 2016. An Evaluation and Ranking of Children's Hospital Websites in the United States, *Journal of Medical Internet Research*, Vol. 18, No. 8.
- Leonardi M.J. et al, 2007. Publicly available hospital comparison web sites: determination of useful, valid, and appropriate information for comparing surgical quality, *Archives of surgery*, Vol 14, No.2, pp 863-869.
- Lewiecki E.M. et al, 2006. Assessment of osteoporosis-website quality, *Osteoporosis international*, Vol. 17, No. 5, pp 741-752.
- Liu, X. et al, 2011. The quality and characteristics of leading general hospitals' Websites in China, *Journal of medical systems*, Vol. 35, No.6, pp 1553-1562.
- Llinás G. et al, 2008. A Comparison of Websites from Spanish, American and British Hospitals, *Methods Inf Med* 47, pp 124-130.
- Mancini C. et al, 2005. Health information in Italian public health websites: moving from inaccessibility to accessibility, *Health Information & Libraries Journal*, Vol. 22, No. 4, pp 276-285.
- Maifredi G. et al, 2010. Italian hospitals on the web: a cross-sectional analysis of official websites, *BMC medical informatics and decision making*, Vol. 10, No. 1, pp 17.
- Mira J.J. et al, 2006. Quality of websites in Spanish public hospitals, *Medical Informatics and the Internet in Medicine*, Vol. 31, No. 1, pp 23-44.
- Moreno J.M. et al, 2010. A quality evaluation methodology for health-related websites based on a 2-tuple fuzzy linguistic approach, *Soft Computing*, Vol. 14, No. 8, pp 887-897.
- Moslehifar M.A. et al, 2016. Assessing the quality of trust features on website content of top hospitals for medical tourism consumers, *Malaysian Journal of Communication*, Vol. 2, No. 1, pp 469-489.
- Norum, J., 2001. Evaluation of Norwegian cancer hospitals' Web sites and explorative survey among cancer patients on their use of the Internet, *Journal of Medical Internet Research*, Vol. 3, No. 4.
- Patsioura F. et al, 2009. Evaluation of Greek Public Hospital Websites, In *ICE-B - International Conference on e-Business*, Proceedings, pp 223-229.
- Randeree E. and Rao H.R., 2004. E-health and assurance: curing hospital websites, *International Journal of Electronic Healthcare*, Vol. 1, No.1, pp 33-46.
- Reznicek G.A. et al, 2015. Quality of websites of obstetrics and gynecology departments: a cross-sectional study, *BMC Pregnancy & Childbirth*, Vol. 15, No. 1, pp 103.
- Shields P.M. and Tajalli H, 2006. Intermediate theory: The missing link in successful student scholarship, *Journal of Public Affairs Education*, Vol. 12, No. 3, pp 313-334.
- Tsai S.L. and Chai S.K., 2005. Developing and validating a nursing website evaluation questionnaire, *Journal of Advanced Nursing*, Vol. 49, No. 4, pp 406-413.
- Watson R.T. et al, 2000. Integrated internet marketing, *Communications of the ACM*, Vol. 43, No. 6, pp. 97-102.